



## SAFETY DATA SHEET HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** HYDROMX  
**Chemical name** Solution

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** A solution composed of various organic fluids in different proportion and used as 50% Hydromx 50% water in closed circuit cooling and heating systems as a heat transfer fluid.  
**Uses advised against** No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Hydromx INC.  
58-75 57th Road Maspeth  
11378 NY, USA.  
Tel.:+1.718.381.0351

#### 1.4. Emergency telephone number

**Emergency telephone** HYDROMX +1.718.381.0351

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification (SI 2019 No. 720)**

**Physical hazards** Not Classified  
**Health hazards** Acute Tox. 4 - H302  
**Environmental hazards** Not Classified

#### 2.2. Label elements

**Hazard pictograms**



**Signal word** Warning  
**Hazard statements** H302 Harmful if swallowed.  
**Precautionary statements** P264 Wash contaminated skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.  
P330 Rinse mouth.  
P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Ethanediol, TolyI triazole

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Ethanediol</b>	REACH registration number:	<b>60-80%</b>
CAS number: 107-21-1	EC number: 203-473-3	05-2114290033-58-0000
<b>Classification</b>		
Acute Tox. 4 - H302		
<b>2,2',2"-nitrilotriethanol (Triethanolamine)</b>	REACH registration number:	<b>10-20%</b>
CAS number: 102-71-6	EC number: 203-049-8	01-2119486482-31-0000
<b>Classification</b>		
Not Classified		
<b>Glycerine</b>		<b>10-20%</b>
CAS number: 56-81-5	EC number: 200-289-5	
<b>Classification</b>		
Not Classified		
<b>Citric acid</b>	REACH registration number:	<b>1-5%</b>
CAS number: 77-92-9	EC number: 201-069-1	01-2119457026-42-0000
<b>Classification</b>		
Eye Irrit. 2 - H319 STOT SE 3 - H335		
<b>Tolyl triazole</b>		<b>1-5%</b>
CAS number: 29385-43-1	EC number: 249-596-6	
<b>Classification</b>		
Acute Tox. 4 - H302 Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

**Composition comments** See section 8 for workplace exposure limits.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

<b>Ingestion</b>	Rinse mouth thoroughly with water. Remove any dentures. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
<b>Skin contact</b>	Rinse with water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Prolonged inhalation of high concentrations may damage respiratory system.
<b>Ingestion</b>	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
<b>Skin contact</b>	Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Small Spillages: Absorb spillage with non-combustible, absorbent material. Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

**Storage class** Toxic storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Ethanediol

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m<sup>3</sup> vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m<sup>3</sup> vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

Sk

##### 2,2',2"-nitrilotriethanol (Triethanolamine)

Long-term exposure limit (8-hour TWA): TLV=Threshold Limit Value 5 mg/m<sup>3</sup>

##### Glycerine

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> mist

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### *Ethanediol (CAS: 107-21-1)*

**DNEL** Workers - Dermal; Long term systemic effects: 106 mg/kg/day  
 Workers - Inhalation; Long term local effects: 35 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 53 mg/kg/day  
 Consumer - Inhalation; Long term local effects: 7 mg/m<sup>3</sup>

**PNEC** Fresh water; 10 mg/l  
 marine water; 1 mg/l  
 Sediment (Freshwater); 37 mg/kg  
 Sediment (Marinewater); 3.7 mg/kg  
 STP; 199.5 mg/l  
 Soil; 1.53 mg/kg  
 Intermittent release; 10 mg/l

#### *2,2',2"-nitrilotriethanol (Triethanolamine) (CAS: 102-71-6)*

**DNEL** Workers - Dermal; Long term systemic effects: 6.3 mg/kg/day  
 General population - Dermal; Long term systemic effects: 3.1 mg/kg/day  
 Workers - Inhalation; Long term systemic effects: 5 mg/m<sup>3</sup>  
 General population - Inhalation; Long term systemic effects: 1.25 mg/m<sup>3</sup>  
 General population - Oral; Long term systemic effects: 13 mg/kg/day  
 Workers - Inhalation; Long term local effects: 5 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 1.25 mg/m<sup>3</sup>

**PNEC** - Fresh water; 0.32 mg/l  
 - marine water; 0.032 mg/l  
 - Intermittent release; 5.12 mg/l  
 - Fresh water; 1.7 mg/kg ka  
 - marine water; 0.17 mg/kg ka  
 - Soil; 0.151 mg/kg ka  
 - STP; 10 mg/l



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Nitrile rubber. Neoprene.

#### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

#### Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

#### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges suitable for intended use should be used. Full face mask respirators with replaceable filter cartridges suitable for intended use should be used. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used.

#### Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance                      Liquid.

Colour                              Red.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

<b>Odour</b>	Slight chemical smell
<b>Odour threshold</b>	No information available.
<b>pH</b>	pH (concentrated solution): 8.20-8.80
<b>Melting point</b>	-73°C
<b>Initial boiling point and range</b>	200°C @
<b>Flash point</b>	283°C
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	1.10 ± 0.2 g/ cm <sup>3</sup>
<b>Solubility(ies)</b>	Completely soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Oxidising properties</b>	No information available.
<b>Particle characteristics</b>	Not applicable.
<b>9.2. Other information</b>	
<b>Other information</b>	No information required.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### 10.5. Incompatible materials

**Materials to avoid** Acid anhydrides. Acids. Phenols, cresols.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acute toxicity - oral</b>	
<b>Notes (oral LD<sub>50</sub>)</b>	Acute Tox. 4 - H302 Harmful if swallowed.
<b>ATE oral (mg/kg)</b>	769.23
<b>Acute toxicity - dermal</b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>Acute toxicity - inhalation</b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>Skin corrosion/irritation</b>	
<b>Skin corrosion/irritation</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation</b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b>Respiratory sensitisation</b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b>Skin sensitisation</b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b>Germ cell mutagenicity</b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity</b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	None of the ingredients are listed or exempt.
<b>Reproductive toxicity</b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b>Specific target organ toxicity - repeated exposure</b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.





## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

Prolonged inhalation of high concentrations may damage respiratory system.

### Ingestion

May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

### Skin contact

Prolonged contact may cause dryness of the skin.

### Eye contact

May cause temporary eye irritation.

### Route of exposure

Ingestion Inhalation Skin and/or eye contact

### Target organs

No specific target organs known.

### 11.2. Information on other hazards

**Information on other hazards** This product does not contain any known or suspected endocrine disruptors.

### Toxicological information on ingredients.

#### *Ethanediol*

##### *Acute toxicity - oral*

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 8,54 g/kg, Oral, Rat  
 LD<sub>50</sub> 6,61 g/kg, Oral, Pig.  
 LD<sub>50</sub> 13,7 g/kg, Oral, Mouse  
 LD<sub>50</sub> 4.700 mg/kg, Oral, Rat

**ATE oral (mg/kg)** 500.0

##### *Acute toxicity - dermal*

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >3500 mg/kg, Dermal, Mouse  
 LD<sub>50</sub> 9530 mg/kg, Dermal, Rabbit  
 LD<sub>50</sub> 10.626 mg/kg, Dermal, Rabbit

##### *Acute toxicity - inhalation*

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> 140-160 ppm, Inhalation, Rat  
 8 hour, day 16 week

#### *2,2',2"-nitrioltriethanol (Triethanolamine)*

##### *Acute toxicity - oral*

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 6400 mg/kg, Oral, Rat

##### *Acute toxicity - dermal*

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >2000 mg/kg, Dermal, Rabbit

##### *Carcinogenicity*

**IARC carcinogenicity** IARC Group 3 Not classifiable as to its carcinogenicity to humans.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### *Glycerine*

#### *Acute toxicity - oral*

Acute toxicity oral (LD<sub>50</sub> mg/kg) 12,600.0

Species Rat

#### *Acute toxicity - dermal*

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 56750 mg/kg, Dermal, Guinea pig

### *Tolyl triazole*

#### *Acute toxicity - oral*

ATE oral (mg/kg) 500.0

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

### Ecological information on ingredients.

### *Ethanediol*

#### *Acute aquatic toxicity*

**Acute toxicity - fish** LC<sub>50</sub>, 24-48 hour: 20 mg/l, *Lepomis macrochirus* (Bluegill)  
 LC<sub>50</sub>, 96 hour: 18.500 mg/l, *Oncorhynchus mykiss* (Rainbow trout)  
 LC<sub>50</sub>, 48 hour: >10.000 mg/l, *Leuciscus idus* (Golden orfe)  
 NOEC, 7 day: 32.000 mg/l, *Pimephales promelas* (Fat-head Minnow)  
 NOEC, 96 hour: 39.140 mg/l, *Pimephales promelas* (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 24 hour: 74.000 mg/l, *Daphnia magna*  
 NOEC, 48 hour: 24.000 mg/l, *Daphnia magna*  
 LC<sub>50</sub>, 48 hour: 41.000 mg/l, *Daphnia magna*

**Acute toxicity - aquatic plants** LC<sub>50</sub>, 24 hour: 12,8 mmol/l, ciliate  
 EC<sub>50</sub>, : >1400 mg/l, *Microcystis aeruginosa*

**Acute toxicity - microorganisms** LC<sub>50</sub>, : 92 mg/l, *Pseudomonas putida*

#### *Chronic aquatic toxicity*

NOEC-Aquatic Plants >700 mg/l *entosiphone sulcatum*

### *Glycerine*

#### *Acute aquatic toxicity*

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >5000 mg/l, Fish

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: >2900 mg/l, Algae

**Acute toxicity - microorganisms** EC<sub>50</sub>, : 10000 mg/l, *Pseudomonas putida*



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

Ecological information on ingredients.

#### *Ethanediol*

**Persistence and degradability** The substance is readily biodegradable.

**BOD/ThBOD** 0,78 %

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

Ecological information on ingredients.

#### *Ethanediol*

**Bioaccumulative potential** Potentially bioaccumulating.

**Bioconcentration factor (BCF)** 0,60

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

#### *Ethanediol*

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** The product does not contain any endocrine disrupting substance.

### 12.7. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Reuse or recycle products wherever possible. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**14.1. UN number or ID number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

No transport warning sign required.

**14.4. Packing group**

Not applicable.

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**  
No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

**Maritime transport in bulk according to IMO instruments** Not applicable.

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations** Health and Safety at Work etc. Act 1974 (as amended).  
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
EH40/2005 Workplace exposure limits.

**EU legislation** Commission Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

**Authorisations (SI 2020 No. 1577 Annex XIV) and REACH 1907/2006, Annex XIV** No specific authorisations are known for this product.



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

**Restrictions (SI 2020 No. 1577 Annex XVII) and REACH 1907/2006, Annex XVII** No specific restrictions on use are known for this product.

**Seveso Directive - Control of major accident hazards** Not relevant.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet**

TWA: Time weighted Average  
 WEL: Workplace Exposure Limit  
 STEL: Short Term Exposure Limits  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
 CAS: Chemical Abstracts Service.  
 IATA: International Air Transport Association.  
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 IMDG: International Maritime Dangerous Goods.  
 PBT: Persistent, Bioaccumulative and Toxic substance.  
 vPvB: Very Persistent and Very Bioaccumulative.  
 LC50: Lethal Concentration to 50 % of a test population.  
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
 EC<sub>50</sub>: 50% of maximal Effective Concentration.

**Key literature references and sources for data** This SDS is prepared based on the information received from the product owner.

**Classification procedures according to SI 2019 No. 720** Acute Tox. 4 - H302: : Calculation method.

**Training advice** Read and follow manufacturer's recommendations. Only trained personnel should use this material.

**Revision comments** SDS has been revised under the current regulations.

**Issued by** Büşra Tarakci / CRAD  
 gbf@crad.com.tr Tel.:+90 216 3354600

**Revision date** 08/11/2023

**Revision** 3.0

**Supersedes date** 14/06/2016

**SDS number** 5932



## HYDROMX

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH).

### Hazard statements in full

H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.